

ARB

AR BEARINGS AND TRANSMISSIONS

**BEARINGS
POWER TRANSMISSION PRODUCTS
SEALS AND O RINGS**

CR Speedi—Sleeve Size Listing



CR Speedi-Sleeve Size Listing - Metric

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
12.00	11.93-12.07	99049	6.0	8.4
14.00	13.89-14.00	99055	6.4	9.9
15.00	14.96-15.06	99059	5.0	9.0
16.00	15.89-16.00	99058	8.0	11.1
17.00	16.95-17.05	99068	8.0	11.0
18.00	17.89-18.00	99082	8.0	11.0
19.00	19.00-19.10	99076	8.0	11.1
20.00	19.95-20.05	99078	8.0	11.0
22.00	21.87-22.00	99085	8.0	12.0
22.00	21.87-22.00	99084	6.6	9.1
24.00	23.87-24.00	99092	8.0	11.1
25.00	24.95-25.05	99098	8.0	11.0
26.00	25.87-26.00	99103	8.0	12.0
27.00	26.92-27.03	99106	8.0	11.0
28.00	27.94-28.04	99111	9.5	12.7
30.00	29.95-30.07	99114	8.0	11.0
31.00	30.89-31.04	99123	8.0	11.0
32.00	31.92-32.08	99128	8.0	11.1
34.00	33.84-34.00	99134	12.7	15.9
35.00	34.92-35.08	99139	13.0	16.0
36.00	35.86-36.00	99146	13.0	17.0
38.00	37.84-38.00	99147	13.0	17.0
40.00	39.84-40.00	99153	9.9	12.9
40.00	39.92-40.08	99157	13.0	16.0
41.00	40.84-41.00	99163	12.7	15.9
42.00	41.84-42.00	99166	11.3	14.5
42.00	41.84-42.00	99169	14.3	17.5
42.00	41.99-42.14	99165	14.0	17.5
43.00	42.84-43.00	99182	12.7	15.9
45.00	44.92-45.08	99177	14.0	17.0
46.00	45.95-46.10	99181	14.3	17.5
48.00	47.92-48.08	99189	14.0	17.0
50.00	49.92-50.08	99196	14.0	17.0
52.00	51.81-52.00	99204	12.7	15.9
54.00	53.95-54.10	99212	19.8	23.8
54.00	53.95-54.10	99210	12.7	19.0
55.00	54.92-55.08	99215	20.0	23.0
56.00	55.81-56.00	99220	12.7	15.9
60.00	59.92-60.07	99241	9.4	11.4
60.00	59.92-60.07	99235	20.0	23.0
62.00	61.85-62.00	99242	12.7	15.9
62.00	61.81-62.00	99244	12.7	15.9
65.00	64.92-65.08	99254	20.0	23.0
66.00	65.92-66.07	99259	19.8	23.8
68.00	67.81-68.00	99266	19.1	22.2
70.00	69.85-70.00	99275	19.8	23.8
70.00	69.85-70.00	99269	28.6	31.8
70.00	69.92-70.08	99276	20.0	24.0
70.00	69.92-70.08	99272	10.3	14.3
72.00	71.81-72.00	99284	19.1	22.2
73.00	72.97-73.13	99287	19.8	23.8
75.00	74.92-75.08	99289	15.1	17.5
75.00	74.92-75.08	99294	22.0	26.0
76.00	75.95-76.10	99291	12.3	15.9
76.00	75.95-76.10	99299	20.6	25.41
76.00	75.95-76.10	99298	14.3	17.5

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
78.00	77.81-78.00	99306	19.5	22.2
80.00	79.92-80.08	99317	11.0	15.0
80.00	79.92-80.08	99315	21.0	24.0
80.00	79.81-80.01	99313	19.1	22.5
82.00	81.92-82.07	99328	16.8	21.6
84.00	84.00-84.15	99331	20.6	25.4
85.00	84.76-85.02	99332	17.0	21.0
85.00	84.78-85.00	99333	21.0	25.0
85.00	84.78-85.00	99334	10.1	12.7
89.00	88.90-89.05	99350	20.6	25.4
89.00	88.93-89.08	99349	15.9	20.6
89.00	88.90-89.05	99347	8.0	12.7
90.00	89.92-90.08	99353	13.4	16.9
90.00	89.92-90.08	99351	18.0	23.0
90.00	89.92-90.08	99354	23.0	28.0
90.00	89.92-90.08	99352	11.0	13.7
92.00	91.90-92.05	99360	20.6	25.4
95.00	94.99-95.15	99364	12.0	15.1
95.00	95.00-95.15	99374	8.7	12.7
95.00	94.92-95.08	99369	21.0	24.0
100.00	99.95-100.10	99393	20.6	25.4
104.00	103.90-104.10	99409	20.0	24.0
105.00	104.90-105.10	99413	20.0	23.2
108.00	107.90-108.10	99424	20.6	25.4
110.00	109.90-110.10	99435	12.9	16.5
110.00	109.78-110.00	99434	11.4	14.5
111.00	111.00-111.20	99437	20.6	25.4
112.00	111.80-112.00	99438	19.0	22.5
115.00	114.90-115.10	99452	20.6	23.8
119.00	119.00-119.20	99468	20.6	25.4
120.00	119.90-120.10	99471	8.0	11.0
120.00	119.90-120.10	99473	20.0	25.0
122.00	121.89-122.10	99472	20.0	24.0
123.00	122.90-123.10	99484	20.0	25.0
125.00	124.90-125.10	99490	10.0	14.0
125.00	124.90-125.10	99492	26.0	32.0
127.00	126.95-127.15	99501	13.7	17.3
127.00	126.95-127.15	99499	20.6	25.4
127.00	126.95-127.15	99498	17.5	22.2
130.00	129.98-130.18	99491	22.0	25.3
130.00	129.79-130.00	99494	19.0	24.0
135.00	134.79-135.00	99533	20.5	25.4
139.00	139.00-139.20	99547	14.3	19.1
140.00	139.90-140.10	99552	20.5	25.5
145.00	144.75-145.00	99571	19.5	22.2
150.00	149.75-150.00	99595	26.0	30.0
154.00	153.87-154.13	99605	26.0	30.0
155.00	154.75-155.00	99606	26.0	30.0
160.00	159.74-160.00	99630	25.4	31.8
170.00	169.75-170.00	99640	31.8	38.0
175.00	174.75-175.00	99687	28.0	32.0
180.00	179.79-180.00	99721	33.0	38.0
184.00	184.00-184.25	99725	31.7	38.1
185.00	184.73-185.00	99726	32.0	38.0
200.00	199.87-200.13	99787	34.5	38.1

CR Speedi-Sleeve Size Listing

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
.472	.469-.475	99049	.236	.331
.500	.498-.502	99050	.250	.344
.551	.547-.551	99055	.251	.389
.563	.560-.566	99056	.250	.391
.591	.589-.593	99059	.197	.354
.625	.623-.627	99062	.313	.406
.630	.624-.630	99058	.315	.437
.669	.667-.671	99068	.313	.433
.684	.682-.686	99060	.313	.438
.706	.704-.709	99082	.315	.433
.750	.748-.752	99076	.313	.438
.760	.759-.761	99081	.313	.438
.781	.780-.784	99080	.313	.438
.787	.785-.789	99078	.313	.930
.859	.857-.861	99086	.250	.375
.866	.861-.866	99085	.315	.472
.866	.861-.866	99084	.260	.358
.875	.873-.877	99087	.313	.438
.910	.908-.912	99091	.313	.438
.945	.940-.945	99092	.315	.437
.969	.966-.970	99094	.313	.438
.969	.966-.970	96096	.625	.719
.984	.982-.986	99098	.313	.433
1.000	.998-1.002	99100	.313	.438
1.024	1.019-1.024	99103	.313	.472
1.063	1.060-1.064	99106	.313	.438
1.089	1.087-1.091	99108	.313	.438
1.102	1.100-1.104	99111	.375	.500
1.125	1.123-1.127	99112	.313	.438
1.156	1.154-1.158	99120	.375	.500
1.175	1.173-1.178	99122	.313	.438
1.181	1.179-1.184	99114	.315	.433
1.188	1.185-1.190	99118	.313	.438
1.219	1.216-1.222	99123	.313	.433
1.240	1.237-1.243	99141	.315	.438
1.250	1.247-1.253	99125	.313	.438
1.260	1.257-1.263	99128	.315	.438
1.313	1.308-1.314	99129	.250	.375
1.313	1.310-1.316	99131	.500	.625
1.339	1.332-1.339	99134	.500	.625
1.375	1.371-1.377	99133	.313	.438
1.375	1.371-1.377	99138	.500	.625
1.375	1.375-1.381	99139	.512	.630
1.417	1.412-1.417	99146	.512	.669
1.438	1.432-1.438	99143	.563	.688
1.438	1.435-1.441	99144	.375	.500
1.496	1.490-1.496	99147	.512	.669
1.500	1.497-1.503	99150	.375	.500
1.500	1.497-1.503	99149	.563	.688
1.523	1.520-1.526	99152	.438	.563
1.552	1.549-1.555	99155	.438	.563

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
1.563	1.559-1.565	99156	.563	.688
1.575	1.569-1.575	99153	.389	.508
1.578	1.572-1.578	99157	.512	.630
1.605	1.602-1.608	99160	.500	.641
1.614	1.608-1.614	99163	.500	.625
1.625	1.622-1.628	99161	.313	.438
1.625	1.623-1.628	99162	.563	.688
1.650	1.647-1.653	99166	.445	.571
1.650	1.647-1.653	99169	.563	.689
1.656	1.653-1.659	99165	.550	.689
1.688	1.684-1.690	99168	.563	.688
1.688	1.685-1.691	99167	.313	.438
1.693	1.687-1.693	99182	.500	.625
1.719	1.715-1.721	99171	.563	.688
1.739	1.736-1.742	99170	.375	.500
1.750	1.747-1.753	99172	.375	.500
1.750	1.747-1.753	99180	.531	.625
1.750	1.747-1.753	99174	.563	.688
1.750	1.747-1.753	99175	.750	.875
1.766	1.761-1.767	99176	.563	.688
1.772	1.769-1.775	99177	.551	.669
1.781	1.778-1.784	99179	.675	.800
1.813	1.809-1.815	99181	.563	.688
1.859	1.857-1.863	99185	.563	.688
1.868	1.866-1.872	99186	.889	1.025
1.875	1.872-1.878	99190	.175	.295
1.875	1.872-1.878	99188	.295	.415
1.875	1.872-1.878	99184	.375	.516
1.875	1.872-1.878	99187	.563	.688
1.891	1.887-1.893	99189	.551	.668
1.912	1.909-1.915	99192	.375	.500
1.938	1.934-1.940	99193	.563	.688
1.969	1.965-1.971	99196	.551	.668
1.980	1.977-1.983	99198	.563	.704
2.000	1.997-2.003	99199	.563	.688
2.000	1.997-2.003	99200	.875	1.000
2.047	2.040-2.047	99204	.500	.625
2.063	2.057-2.063	99205	.813	.938
2.125	2.123-2.128	99210	.500	.750
2.125	2.124-2.130	99212	.781	.938
2.165	2.162-2.168	99215	.787	.905
2.188	2.186-2.192	99218	.781	.938
2.205	2.198-2.205	99220	.500	.625
2.230	2.227-2.233	99229	.500	.625
2.230	2.227-2.233	99230	.781	.906
2.240	2.237-2.243	99226	.764	.900
2.250	2.249-2.255	99225	.781	.938
2.250	2.249-2.255	99227	.313	.438
2.313	2.309-2.315	99231	.781	.938
2.328	2.327-2.333	99233	.750	.875
2.362	2.359-2.365	99241	.370	.450

CR Speedi-Sleeve Size Listing

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
2.362	2.359-2.365	99235	.787	.905
2.375	2.369-2.375	99236	.781	.938
2.375	2.372-2.378	99238	.594	.750
2.375	2.374-2.380	99240	.526	.683
2.375	2.374-2.380	99237	.781	.938
2.438	2.434-2.440	99243	.781	.938
2.438	2.435-2.441	99242	.500	.625
2.441	2.433-2.441	99244	.500	.625
2.492	2.489-2.495	99249	.781	.938
2.500	2.497-2.503	99253	.555	.650
2.500	2.500-2.506	99248	.500	.656
2.500	2.500-2.506	99250	.781	.938
2.516	2.510-2.516	99251	.781	.906
2.559	2.556-2.562	99254	.787	.905
2.563	2.560-2.566	99256	.781	.938
2.598	2.595-2.601	99259	.781	.938
2.621	2.618-2.624	99261	.781	.938
2.625	2.621-2.627	99264	.781	.906
2.625	2.622-2.628	99260	.500	.625
2.625	2.625-2.631	99262	.781	.938
2.677	2.670-2.677	99266	.752	.874
2.730	2.727-2.733	99268	.781	.906
2.743	2.740-2.746	99273	.781	.938
2.750	2.745-2.751	99274	.781	.938
2.750	2.747-2.753	99270	.781	.906
2.750	2.747-2.753	99267	1.438	1.625
2.750	2.750-2.756	99272	.406	.563
2.750	2.750-2.756	99275	.781	.938
2.750	2.750-2.756	99269	1.125	1.250
2.756	2.753-2.759	99276	.787	.945
2.813	2.809-2.815	99281	.594	.688
2.835	2.827-2.835	99284	.752	.874
2.844	2.838-2.844	99282	.500	.656
2.869	2.866-2.872	99286	.781	.938
2.875	2.873-2.879	99287	.781	.938
2.938	2.937-2.943	99290	.500	.641
2.938	2.937-2.943	99293	.781	.938
2.953	2.950-2.956	99289	.594	.688
2.953	2.950-2.956	99294	.866	1.024
2.974	2.972-2.976	99292	.813	1.000
2.993	2.990-2.996	99291	.484	.625
2.993	2.990-2.996	99298	.563	.688
2.993	2.990-2.996	99299	.813	1.000
3.000	2.997-3.003	99296	.813	.938
3.000	3.000-3.006	99300	.813	1.000
3.000	3.000-3.006	99303	.625	.813
3.011	3.008-3.014	99301	.500	.625
3.071	3.063-3.071	99306	.770	.874
3.125	3.120-3.126	99311	.688	.813
3.125	3.120-3.126	99312	.813	1.000
3.125	3.124-3.132	99307	.551	.709
3.146	3.142-3.150	99313	.750	.886

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
3.150	3.146-3.153	99317	.433	.591
3.150	3.146-3.153	99315	.827	.945
3.228	3.225-3.231	99328	.660	.848
3.250	3.250-3.256	99324	.595	.719
3.250	3.250-3.256	99325	.813	1.000
3.250	3.250-3.256	99326	.688	.875
3.250	3.247-3.253	99322	.813	1.000
3.310	3.307-3.313	99331	.813	1.000
3.342	3.337-3.347	99332	.669	.827
3.342	3.337-3.347	99333	.827	.984
3.346	3.338-3.346	99334	.398	.500
3.375	3.373-3.379	99338	.375	.500
3.375	3.373-3.379	99337	.813	1.000
3.438	3.435-3.441	99339	.781	.906
3.480	3.477-3.483	99340	.781	.906
3.500	3.500-3.506	99347	.313	.500
3.500	3.497-3.503	99346	.625	.813
3.500	3.500-3.506	99350	.813	1.000
3.504	3.501-3.507	99349	.625	.813
3.543	3.540-3.546	99353	.526	.667
3.543	3.540-3.546	99352	.434	.538
3.543	3.540-3.546	99351	.710	.906
3.543	3.540-3.546	99354	.906	1.102
3.563	3.560-3.566	99356	.813	1.000
3.621	3.618-3.624	99360	.813	1.000
3.625	3.623-3.629	99363	.500	.625
3.625	3.623-3.629	99362	.813	1.000
3.688	3.684-3.690	99368	.313	.438
3.688	3.685-3.691	99365	.813	.938
3.730	3.727-3.733	99359	.469	.594
3.730	3.727-3.733	99366	.781	.906
3.740	3.737-3.743	99369	.827	.945
3.743	3.740-3.746	99374	.344	.500
3.743	3.740-3.746	99364	.469	.594
3.750	3.746-3.752	99376	.563	.688
3.750	3.750-3.756	99367	.344	.500
3.750	3.750-3.756	99372	.688	.875
3.871	3.868-3.874	99386	.813	1.000
3.875	3.873-3.879	99387	.813	1.000
3.938	3.935-3.941	99393	.813	1.000
4.000	3.998-4.006	99395	.600	.725
4.000	3.998-4.006	99399	.813	1.000
4.000	3.998-4.006	99400	.650	.775
4.000	3.998-4.006	99401	.500	.625
4.094	4.090-4.098	99409	.787	.945
4.125	4.122-4.130	99412	.813	1.000
4.134	4.130-4.138	99413	.787	.913
4.188	4.183-4.191	99418	.813	1.000
4.234	4.226-4.234	99423	.781	.906
4.250	4.248-4.256	99424	.813	1.000
4.328	4.327-4.335	99435	.509	.650
4.331	4.322-4.331	99434	.499	.570

CR Speedi-Sleeve Size Listing

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
4.375	4.370-4.378	99437	.813	1.000
4.406	4.401-4.409	99438	.748	.886
4.438	4.434-4.442	99439	1.000	1.142
4.500	4.496-4.504	99450	.813	1.000
4.527	4.523-4.531	99452	.813	.938
4.625	4.621-4.629	99463	1.000	1.250
4.625	4.621-4.629	99465	.438	.625
4.688	4.685-4.693	99468	.813	1.000
4.724	4.720-4.728	99471	.315	.433
4.724	4.720-4.728	99473	.787	.984
4.750	4.746-4.754	99475	.500	.750
4.803	4.799-4.807	99472	.787	.945
4.843	4.839-4.847	99484	.787	.984
4.875	4.871-4.879	99487	.625	.750
4.921	4.917-4.925	99490	.394	.551
4.921	4.917-4.925	99492	1.024	1.260
5.000	4.998-5.006	99501	.540	.681
5.000	4.998-5.006	99498	.688	.875
5.000	4.998-5.006	99499	.813	1.000
5.114	5.110-5.118	99494	.750	.938
5.125	5.117-5.125	99491	.866	.996
5.125	5.120-5.128	99513	.813	1.000
5.250	5.246-5.254	99525	.813	1.000
5.313	5.307-5.315	99533	.807	1.000
5.375	5.371-5.379	99537	.813	1.000
5.438	5.434-5.442	99548	1.500	1.688
5.472	5.472-5.480	99547	.563	.750
5.500	5.498-5.506	99550	.518	.705
5.500	5.498-5.506	99549	.813	1.000
5.512	5.508-5.516	99552	.807	1.000
5.709	5.700-5.709	99571	.768	.874
5.734	5.726-5.734	99562	.563	.750
5.750	5.746-5.754	99575	.813	1.000
5.875	5.871-5.879	99587	1.000	1.250
5.905	5.895-5.905	99595	1.024	1.181
5.938	5.934-5.942	99596	1.000	1.125
6.000	5.995-6.003	99601	.500	.750
6.000	5.995-6.003	99599	1.000	1.250
6.063	6.058-6.068	99605	1.024	1.181
6.097	6.092-6.102	99606	1.024	1.181
6.203	6.198-6.208	99620	.813	1.063
6.250	6.245-6.255	99625	1.031	1.250
6.299	6.289-6.299	99630	1.000	1.250
6.500	6.495-6.505	99650	1.000	1.250
6.668	6.683-6.693	99640	1.250	1.496
6.750	6.745-6.755	99675	.813	1.063
6.890	6.880-6.890	99687	1.102	1.260
7.000	6.995-7.005	99700	1.000	1.250
7.087	7.077-7.087	99721	1.300	1.496
7.250	7.244-7.254	99725	1.250	1.500
7.278	7.273-7.283	99726	1.260	1.496
7.453	7.444-7.454	99745	.813	1.000

Nominal Shaft Diameter	"A" Shaft Diameter Range	Stock Number	"X" Width on Shaft	"Y" Width on Shaft
7.500	7.495-7.505	99750	.813	1.000
7.750	7.745-7.755	99775	1.000	1.313
7.875	7.869-7.879	99787	1.359	1.500
7.938	7.933-7.943	99799	1.000	1.250
8.000	7.995-8.005	99800	1.000	1.250